

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
Telehandler									
Q4485	MERLO	P 32.6 Plus/ 528 TD	3200 kg	2013	2T600	0 mm	EZH,Kab,Heiz,4xLuft	2084	3
Work platform									
A8884	Genie	Z 34/22 N	227 kg	2005	---	0 mm		1057	3
P3783	JLG	30 AM	135 kg	2006	---	0 mm	4xBA	0	5
J7354	BRAVISOL	LUI Mini SK	0 kg	2012	---	0 mm	B,iL,4x BA	0	5
S9326	JLG	Toucan Duo	0 kg	2007	---	0 mm	B,iL,4x V	0	3
H9868	Genie	Z 34/22 N	227 kg	2005	---	0 mm		977	3
Pedestrian stacker									
Z1641	JUNGHEINRICH	ERC 214 115-430 ZZ	1400 kg	2013	2F430	1150 mm	B,L,4xBA	10747	3
W7333	GENKINGER	EGV 16/29	1200 kg	2012	2W290	1150 mm	B,6xV	2052	3
G7190	LINDE	L 14 AP 365	1400 kg	2001	2W325	1150 mm	B+L,7xV	4064	3
I8039	STEINBOCK	WP 16	1600 kg	2000	3F530	1150 mm	B,L,5xBA	0	3
Z4596	CATERPILLAR	NPV 20 ND	2000 kg	2010	2W160	1150 mm	B,L,7xV	2415	3
E3879	ATLET	125 XSN	1250 kg	2006	3F615	1150 mm	B+L,7xBA	3969	3
E6175	STILL	EGV 20	2000 kg	2013	3f438	1150 mm		5805	3
R1522	STOECKLIN	EDS 14	1400 kg	2012	2W179	1150 mm	B,L,4xV	294	3
H1415	BT	SWE 080 L	800 kg	2005	1S158	1200 mm	B,iL,7xBA	1603	3
B8726	BT	SWE 080 L	800 kg	2006	1F158	1150 mm	B,iL,LSG,7xV	1336	3
U6009	BT	SWE 080 L	800 kg	2006	1F158	1150 mm	B,iL,7xBA	2695	3
Y1250	LINDE	L 12 L AP 133	1200 kg	2011	2W195	1150 mm	B,5xBA	4691	3

Net prices, ex works Stuhr.
 Subject to prior sale.

Key

State

- 1 = Like new
- 2 = Good
- 3 = Running condition
- 4 = In need of repair
- 5 = Not running condition
- 6 = Spare part truck

Mast

- 1 = Mono
- 2 = Duplex
- 3 = Triplex
- 4 = Quadro

- S = Standard
- W = Freeview
- F = Freelif

- EZH = single additional hydraulics
- DZH = double additional hydraulics
- SS = Sideshift
- ISS = Integrated sideshift

- 1-P = One pedal
- Kab = Cabin
- LSG = Load protective grid
- B = Battery
- L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
S2720	LINDE	L 12 133	1200 kg	2012	2W242	1150 mm	B,L,7xV	2909	3
N9836	LINDE	L 12 SP 133	1200 kg	2012	2W242	1150 mm	B,L,7xV	4009	3
B7182	LINDE	L 20 372	2000 kg	2010	1F128	1250 mm	B,6xV	5061	3
H5464	LINDE	L 20 372	2000 kg	2010	1F125	1250 mm	B,L,6xV	6258	3
Y2402	LOC	Stacky 10S16	1000 kg	2003	1S160	1150 mm	B,iL,4xV	0	5
E3627	GENKINGER	BTG 02/20 S0	200 kg	2015	2W198	800 mm	B,iL,6xBA	0	1
O4680	BT	RWE 120	1200 kg	2010	2F335	1150 mm	EZH,B,5xBA	5703	3
E1142	BT	PPH 1600 MX	1600 kg	2004	1F155	1150 mm	B,iL,LSG,7xBA	543	3
T4951	YALE	MS 12 AC	1200 kg	2014	2F320	1150 mm	B,L,5xV	378	2
P7269	YALE	MS 10 E-32	1000 kg	2004	2S320	1150 mm	B,4xV	809	3
X3993	BT	SWE 080 L	800 kg	2006	1F155	1150 mm	B,iL,LSG,7xBA	1347	3
T2781	LOC	A 10 ETS 17	1000 kg	2008	1F170	1150 mm	B,iL,4xBA	0	3
M2782	BT	SPE 160	1600 kg	2005	3F440	1150 mm	B,L,7x V	2003	3
N6259	LINDE	L 12 AP 133	1200 kg	2010	2F335	1150 mm	B,6xV	9535	3
S3234	LINDE	L 12 SP 133	1200 kg	2012	2W242	1150 mm	B,L,7xV	3167	3
O2005	LINDE	L 14 AP 133	1400 kg	2012	2W245	1150 mm	B+L,5xBA	1587	3
E6192	LINDE	L 12 L HPAC 133	1200 kg	2015	2F192	1150 mm	B,L,7xV	1	1
O4027	LINDE	L 12 L HPAC 133	1200 kg	2015	2F192	1150 mm	B,L,7xV	1	1
L6675	LINDE	L 14 APi 372	1400 kg	2013	2W472	1150 mm	B,L,LSG,,6xV	2178	3
G5403	LINDE	L 14 AP 372	1400 kg	2014	2W292	1150 mm	B,L,6xV	3374	3
V6955	BT	SPE 125	750 kg	2010	2W180	1200 mm	B,L,5xBA	3609	3
V1281	BT	SWE 080 L	800 kg	2006	1F158	1150 mm	B,L,LSG,7xV	1355	3
Z2606	CATERPILLAR	NPV 20 ND	2000 kg	2010	2W160	1150 mm	B,L,7xV	2614	3
N8436	CATERPILLAR	NPV 20 ND	2000 kg	2010	2W160	1150 mm	B,L,7xV	2487	3
F6800	CATERPILLAR	NSV 16Ni	1600 kg	2012	3W470	1150 mm	B,L,7xBA	1485	3
H3497	PRAMAC	GX 12/25	1200 kg	2014	2W250	1150 mm	B,iL,5xV	0	1
E1784	LINDE	L 12 L AP 133	1200 kg	2011	2W195	1150 mm	B,5xV	4380	3
V6341	PRAMAC	GX 12/25	1200 kg	2015	2W250	1150 mm	B,iL,5xV	0	3
T4099	LINDE	L 14 APi 372	1400 kg	2012	2F330	1150 mm	B,4xV	3553	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new
2 = Good
3 = Running condition
4 = In need of repair
5 = Not running condition
6 = Spare part truck

Mast

1 = Mono
2 = Duplex
3 = Triplex
4 = Quadro
S = Standard
W = Freeview
F = Freelif

EZH = single additional hydraulics
DZH = double additional hydraulics
SS = Sideshift
ISS = Integrated sideshift

1-P = One pedal
Kab = Cabin
LSG = Load protective grid
B = Battery
L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
U6851	JUNGHEINRICH	ERD 220 KLPF-201ZT	2000 kg	2011	2W210	1190 mm	B,7xBA	6912	3
V1421	BT	SWE 120	1200 kg	2015	2W290	1150 mm	B,iL,5x BA	19	2
F5252	BT	SWE 080 L	800 kg	2006	1F158	1150 mm	B,iL,7xBA	2689	3
N8816	BT	PPH 1600 MX	1600 kg	2004	1F155	1150 mm	B,iL,LSG,7xBA	2646	3
I5961	BT	SWE 080 L	800 kg	2006	1F158	1150 mm	B,iL,7xBA	1436	3
D7777	JUNGHEINRICH	EJC 214	1400 kg	2006	3F430	1150 mm	B,L,4xV	3608	3
C7070	JUNGHEINRICH	EJC 110 115-360ZT	1000 kg	2011	2W360	1150 mm	B,iL,4xV	864	3
Z1104	BT	SPE 125	750 kg	2009	2W180	1200 mm	B,5x V	2386	3
B5293	JUNGHEINRICH	ERC-Z 14 430DZ	1400 kg	2007	3F430	1150 mm	B,L,7xV	216	3
S3907	LINDE	L 10 379	1000 kg	2004	2W330	1150 mm	B,L,6xBA	6985	3
L3488	LINDE	L 12 AP 133	1200 kg	2011	2W240	1150 mm	B,L,7xBA	5375	3
F3930	BT	SPE 160 L	1600 kg	2004	3F480	1150 mm	B,L,7x V	5620	3
N1949	LINDE	L 14 AP 372	1400 kg	2013	2W332	1150 mm	B,L,7xBA	3816	3
Q8306	LINDE	L 14 AP 372	1400 kg	2013	2W332	1150 mm	B,7xBA	4024	3
K5590	BT	SPE 125	750 kg	2010	2W180	1200 mm	B,L,5x BA	2019	3
C8883	JUNGHEINRICH	EJC 16	1600 kg	2000	2W290	1150 mm	B,L,4xV	11761	3
P1145	LINDE	L 20 372	2000 kg	2010	1F128	1250 mm	B,6xV	5595	3
U5000	HYSTER	S 1.6 AC	1600 kg	2012	2W345	1150 mm	B+L,6x V	1091	3
L9378	HYSTER	S 1.6 AC	1600 kg	2012	2W345	1150 mm	B+L,6x V	478	2
H9501	JUNGHEINRICH	EJC 212	1200 kg	2012	3F409	1200 mm	Waage,B,L,LSG,6x BA	420	3
R2130	JUNGHEINRICH	ERC 12,5	1250 kg	1990	2W297	1150 mm	B,7xV	4378	3
P3230	BT	SWE 120	1200 kg	2015	2W290	1150 mm	B,iL,5x BA	24	2
D1845	LINDE	L 14 AP 372	1400 kg	2014	2W292	1150 mm	B,L,6x V	1998	3
J2010	LINDE	L 14 1173	1400 kg	2015	2W235	1150 mm	B,L,4x V	1	1
V4224	LINDE	L 16 AP 372	1600 kg	2015	2W320	1600 mm	B,L,6x V	1259	3
P8759	GENKINGER	EGVT 10/35	1000 kg	2011	2S350	1150 mm	B,L,5x BA	3	1
D3845	BT	MPL 12/1	1200 kg	1997	2W370	1150 mm	B,5x BA	1758	3
E1024	LINDE	L 16i 372	1600 kg	2011	2W284	1150 mm	B,6x BA	1225	3
V4466	LINDE	L 16 AP 372	1600 kg	2014	2W324	1150 mm	B,L,6x BA	2173	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new
2 = Good
3 = Running condition
4 = In need of repair
5 = Not running condition
6 = Spare part truck

Mast

1 = Mono
2 = Duplex
3 = Triplex
4 = Quadro
S = Standard
W = Freeview
F = Freelif

EZH = single additional hydraulics
DZH = double additional hydraulics
SS = Sideshift
ISS = Integrated sideshift

1-P = One pedal
Kab = Cabin
LSG = Load protective grid
B = Battery
L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
S6766	STILL	EXV 10	1000 kg	2011	2F390	1150 mm	B,L,4x BA	801	3
I3782	BT	SWE 120	1200 kg	2005	2F370	1150 mm	B,L,7x BA	3370	3
Counterbalance truck : ELEKTRO									
D3980	TOYOTA	7 FBEST 15	1500 kg	2007	2W370	1200 mm	DZH,ZVG+SS,DS,FS,B,L,LSG,3xSE	6597	5
H5373	LINDE	E 16 L-01 386	1600 kg	2012	3F462	1550 mm	DZH,ZVG+SS,B,1-P,1-H,4xSE	13718	3
Z2250	NISSAN	GN 01 L 16 U	1600 kg	1997	3F430	1200 mm	EH,SS,B,4xSE	5512	4
B6461	STILL	RX 50-13 5053	1300 kg	2008	3F440	1100 mm	EZH,SS,B,3x SE	8064	3
M5143	STILL	R 60-25 6013	2500 kg	1994	2W357	1300 mm	EZH,B,4xSE	16623	3
Q7310	JUNGHEINRICH	EFG 316k G120-300ZZ	1600 kg	2012	2F300	1200 mm	DZH,ZVG+SS,FS,DS,B+L,LSG,4xSE	8437	3
Z2280	MITSUBISHI	FB 25 K PAC	2500 kg	2012	3F480	1150 mm	EZH,SS,HKab,B,L,4xSE	3637	3
Z5086	STILL	RX 60-50 6330	5000 kg	2012	2W328	0 mm	EZH,DS,FS,4xSE	8352	3
S6470	LINDE	E 20 PH-01 386	2000 kg	2011	3F465	1600 mm	DZH,ZVG+SS,HKab,B,4xSE	14615	3
X3012	YALE	ERP 16 ATF	1600 kg	2007	3F440	1200 mm	EZH,SS,B,L,4xSE	5566	3
U8702	MITSUBISHI	FB 25 K PAC	2500 kg	2012	3F480	1150 mm	EZH,SS,HKab,B,L,4xSE	3732	3
C7596	JUNGHEINRICH	EFG 316k G120-330ZZ	1600 kg	2011	2F330	1200 mm	3.V,FS,DS,B,4xSE	14082	3
J9479	TOYOTA	7 FBMF 25	2500 kg	2007	2W333	1200 mm	EZH,4.V,SS,FS,DS,B,L,LSG,4xSE	12265	3
G4588	KOMATSU	FB 25 H-1R	2500 kg	2003	3F580	1500 mm	EZH,ISS,Kab,Heiz,B,L,4xSE	3514	3
V6880	STILL	RX 50-13 5053	1300 kg	2007	3F440	1200 mm	EZH,SS,B,3x SE	5234	3
F3986	MITSUBISHI	FB 25 K PAC	2500 kg	2012	3F480	1150 mm	EZH,SS,FS,DS,B,L,4xSE	3851	3
O1469	YALE	ERP 15 RCF E2092	1500 kg	2009	3F480	900 mm	EZH,ISS,B,3xSE	30406	4
S7273	STILL	RX 50-13 5053	1300 kg	2007	3F440	1200 mm	EZH,SS,B,3x SE	4702	3
E2826	STILL	R 60-30 6045	3000 kg	2002	2W412	1200 mm	DZH,ZVG+SS,B,L,4x SE	13995	3
A8767	STILL	R 50-16 5024	1600 kg	1990	3F520	0 mm	EZH,SS,B,3xSE	24680	5
T4165	STILL	RX 20-16P 6212	1600 kg	2011	3F462	1200 mm	EZH,SS,B,4xSE	6674	3
B1293	MITSUBISHI	FB 30 K PAC	3000 kg	2012	3F470	1200 mm	DZH,HKab,B,L,4xSE	3356	3
F7571	STILL	R 60-30 6014	3000 kg	1992	2W422	1200 mm	EZH,SS,GV,FS,DS,B,L,4x SE	32646	3
N8728	STILL	RX 50-13 5053	1300 kg	2007	3F440	1150 mm	EZH,SS,B,3x SE	8703	3
X5677	LINDE	E 16 L-01 386	1600 kg	2011	3F462	1150 mm	EZH,ISS,B,1-P,1-H,4xSE	10017	3
D5154	LINDE	E 16 L-01 386	1600 kg	2011	3F462	1200 mm	EZH,ISS,B,4xSE	5619	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new

4 = In need of repair

Mast

1 = Mono

S = Standard

EZH = single additional hydraulics

1-P = One pedal

2 = Good

5 = Not running condition

2 = Duplex

W = Freeview

DZH = double additional hydraulics

Kab = Cabin

3 = Running condition

6 = Spare part truck

3 = Triplex

F = Freelift

SS = Sideshift

LSG = Load protective grid

4 = Quadro

ISS = Integrated sideshift

B = Battery

L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
A8146	LINDE	E 18 L-01 386	1800 kg	2011	3F415	1200 mm	EZH,ISS,B,4xSE	11661	3
W3903	TOYOTA	7 FBEP 18	1800 kg	2005	3F500	1300 mm	EZH,SS,B,L,4xSE	11969	3
Z7730	mitsubishi	FB 15 KRT	1500 kg	2004	2F300	1150 mm	EZH,SS,B,L,3xSE	0	3
C6520	mitsubishi	FB 25 K PAC	2500 kg	2012	3F480	1150 mm	EZH,SS,HKab,B,L,4xSE	4153	3
M7133	mitsubishi	FB 30 K PAC	3000 kg	2012	3F470	1200 mm	DZH,HKab,B,L,4xSE	3751	3
O5401	LINDE	E 16 C-01 386	1600 kg	2011	2W315	0 mm	DZH,FS,DS,B,1-P,4xSE	9432	3
I4140	CESAB	Blitz 300 AC	3000 kg	2011	2W307	0 mm	EZH,B,4xSE	5522	3
S9659	CESAB	Blitz 300 AC	3000 kg	2011	2W317	1400 mm	EZH,B,1-P,4xSE	14082	3
O8029	mitsubishi	FB 25 K PAC	2500 kg	2012	3F480	1150 mm	EZH,SS,HKab,B,L,4xSE	3847	3
D1078	mitsubishi	FB 25 K PAC	2500 kg	2012	3F480	1150 mm	EZH,SS,HKab,B,L,4xSE	3409	3
E8227	mitsubishi	FB 30 K PAC	3000 kg	2012	3F470	1050 mm	DZH,HKab,B,L,4xSE	4283	3
Z3947	mitsubishi	FB 30 K PAC	3000 kg	2012	3F470	1200 mm	DZH,HKab,B,L,4xSE	3955	3
R7143	STILL	EFG 4 / 6006	4000 kg	1986	3F450	0 mm	EZH,SS,B,4xSE	0	3
O1995	LINDE	E 16 C-01 386	1600 kg	2011	2F384	0 mm	DZH,FS,DS;B,1-P,4xSE	8780	3
S3485	LINDE	E 16 H-01 386	1600 kg	2013	3F547	1200 mm	EZH,ISS,B,Kab,1-P,4xSE	7041	3
W9479	mitsubishi	FB 25 K PAC	2500 kg	2012	3F480	1150 mm	EZH,SS,HKab,B,L,4xSE	3884	3
R7152	MARIOTTI	MYCROS 10 C	1000 kg	1997	2F320	1000 mm	EZH,ISS,B+L,3xSE	20102	3
V5914	LINDE	E 16 L-01 386	1600 kg	2011	3F462	1200 mm	EZH,SS,B,4xSE	9701	3
I5872	LINDE	E 14-01 386	1400 kg	2012	3F415	1200 mm	EZH,ISS,B,1-P,4xSE	6497	3
F5443	LINDE	E 16 H-01 386	1600 kg	2013	3F547	1200 mm	EZH,ISS,Kab,B,1-P,4xSE	9075	3
Q9200	MANITOU	EMA 18	1800 kg	2003	3F800	1000 mm	EZH,4.V,ISS,B,L,LSG,4xV	8523	3
Y3730	JUNGHEINRICH	EFG 316k G120-300ZZ	1600 kg	2010	2F300	1200 mm	DZH,ZVG+SS,FS,DS,B+L,LSG,4xSE	5586	3
E1273	LINDE	E 16-01 386	1600 kg	2012	3F462	1000 mm	EZH,ISS,DS,B,4xSE	11300	3
F7424	STILL	R 60-20 6012	2000 kg	1993	2F330	1000 mm	EZH,SS,FS,DS,B,4xSE	18469	3
K1161	LINDE	E 15 324	1500 kg	1995	3F467	1100 mm	EZH,GV,DS,B,L,4x SE	16688	3
R6629	JUNGHEINRICH	EFG 216 GE115-360ZT	1600 kg	2008	2W360	1150 mm	EZH,ISS,FS,DS,B,4xSE	9522	3
E2614	LINDE	E 50 HL-01/600 388	5000 kg	2013	3F556	0 mm	DZH,ZVG+SS,Kab,Heiz,B,4xSE	1998	3
Y5794	STILL	RX 20-16 6212	1600 kg	2012	2F317	1600 mm	DZH,SS+GV,B,4xSE	6297	3
P6020	mitsubishi	FB 12 KRT-PAC	1250 kg	2007	2F300	800 mm	EZH,ISS,B,L,3x SE	1231	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new

4 = In need of repair

Mast

1 = Mono

S = Standard

EZH = single additional hydraulics

1-P = One pedal

2 = Good

5 = Not running condition

2 = Duplex

W = Freeview

DZH = double additional hydraulics

Kab = Cabin

3 = Running condition

6 = Spare part truck

3 = Triplex

F = Freelift

SS = Sideshift

ISS = Integrated sideshift

LSG = Load protective grid

B = Battery

L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
F5780	unbekannt	WRANGLER 2625DB	0 kg	---	---	0 mm	B,iL,4xV	276	3
M6444	LINDE	E 18 L-01 386	1800 kg	2011	3F462	1200 mm	DZH,ZVG+SS,B,4xSE	10507	3
Y7666	LINDE	E 18 L-01 386	1800 kg	2011	3F462	1200 mm	EZH,ZVG+SS,B,4xSE	10916	3
K8078	LINDE	E 16-01 386	1600 kg	2012	2F314	1150 mm	DZH,ISS,B,4xSE	7860	3
S2891	LINDE	E 14-01 386	1400 kg	2013	3F462	1200 mm	EZH,ISS,B,L,4xSE	8814	3
I8649	LINDE	E 14-01 386	1400 kg	2013	3F462	1200 mm	EZH,ISS,FS,DS,B,L,4xSE	9330	3
Y3790	LINDE	E 18 PH-01 386	1800 kg	2007	2F315	1200 mm	EZH,ISS,DS,4xSE	11633	3
D6074	LINDE	E 18 L-01 386	1800 kg	2011	3F462	1200 mm	DZH,ZVG+SS,B,4xSE	12077	3
G5331	LINDE	E 16-01 386	1600 kg	2013	3F462	0 mm	EZH,B,4xSE	9189	3
N3905	STILL	R 50-15 5044	1500 kg	2001	2W300	900 mm	3.V,B,3xSE	29565	3
K9567	LINDE	E 18 L-01 386	1800 kg	2011	3F462	1200 mm	DZH,ZVG+SS,B,4xSE	12043	3
E6293	STILL	RX 60-50 6330	5000 kg	2012	2W328	0 mm	EZH,SS,FS,DS,B,4xSE	8236	3
H1334	STILL	RX 20-16P 6212	1600 kg	2013	2F320	1200 mm	EZH,B,4xSE	3952	3
Y5838	LINDE	E 14-01 386	1400 kg	2011	3F410	1000 mm	EZH,ISS,B,4xSE	8658	3
F3648	STILL	RX 60-50 6329	5000 kg	2008	2W410	0 mm	3.V,Kab,Heiz,1-P,4xSE	13368	3
F1950	STILL	RX 50-13 5053	1300 kg	2007	3F440	1100 mm	EZH,SS,B,3x SE	7016	3
V9621	TOYOTA	8 FBET 16	1600 kg	2012	3F470	1200 mm	DZH,ISS,IGV,Kab,Heiz,B,L,4xSE	3435	3
V9800	LINDE	E 25-03 336	2500 kg	2006	3F460	1100 mm	DZH,Kab,B,4xSE	11620	3
R3449	JUNGHEINRICH	EFG 113 MP GE-550DZ	1200 kg	2008	3F550	1150 mm	EZH,ISS,FS,B,L,3xSE	2771	3
G6520	MITSUBISHI	FB 25 K PAC	2500 kg	2004	3F430	1600 mm	DZH,SS,B,L,4xSE	1578	3
O7737	LINDE	E 25-03/600 336	2500 kg	2010	2F445	1200 mm	DZH,SS,GV,Kab,H,B,L,LSG,4x SE	4048	3
Z6854	LINDE	E 16 L-01 386	1600 kg	2010	3F537	1200 mm	EZH,ISS,DS,B,4xSE	13711	3
J5854	LINDE	E 16 H-01 386	1600 kg	2011	3F462	1200 mm	EZH,ISS,B,1-P,4xSE	13805	3
J4156	STILL	RX 20-15 6210	1500 kg	2012	3F682	0 mm	DZH,B,4xSE	21533	3
Q8756	STILL	RX 20-16 6211	1600 kg	2007	2F350	1200 mm	EZH,ISS,FS,DS,B,L,4xSE	16747	3
Z7610	LINDE	E 20 PH-01 386	2000 kg	2010	3F622	1200 mm	DZH,ISS,IGV,Kab,Heiz,B,L,1-P,LSG,4xSE	5927	3
W9621	JUNGHEINRICH	EFG 218 MP GE-500DZ	1800 kg	2006	3F500	1200 mm	EZH,ISS,FS,DS,B,4x SE	14882	3
Y7071	JUNGHEINRICH	EFG 316k G120-300ZZ	1600 kg	2010	2F300	1200 mm	DZH,ZVG+S,DS,FS,B,L,LSG,4xSE	7198	3
U3673	LINDE	E 20 L-01 386	2000 kg	2010	3F630	1150 mm	DZH,ISS,IGV,DS,FS,B,L,LSG,1-P,4xSE	7374	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new

4 = In need of repair

Mast

1 = Mono

S = Standard

EZH = single additional hydraulics

1-P = One pedal

2 = Good

5 = Not running condition

2 = Duplex

W = Freeview

DZH = double additional hydraulics

Kab = Cabin

3 = Running condition

6 = Spare part truck

3 = Triplex

F = Freelift

SS = Sideshift

LSG = Load protective grid

4 = Quadro

ISS = Integrated sideshift

B = Battery

L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
L4505	TOYOTA	8 FBET 18	1800 kg	2011	3F550	1100 mm	EZH,ISS,B,L,4xSE	11536	3
D4089	TOYOTA	8 FBET 18	1800 kg	2009	3F550	1200 mm	EZH,ISS,B,L,4xSE	14998	3
W7866	LINDE	E 25-03 336	2500 kg	2011	2W425	1200 mm	EZH,ISS,HKab,B,L,4xSE	2115	3
S1439	TOYOTA	8 FBMT 15	1500 kg	2011	3F450	1100 mm	EZH,ISS,FS,DS,B,L,4xSE	1136	3
K9171	JUNGHEINRICH	EFG 316k G120-300ZZ	1600 kg	2012	2F300	1200 mm	DZH,SS,GV,HKab,B,L,LSG,4xSE	12320	3
G6022	LINDE	E 16-02 335	1600 kg	2002	3F475	1000 mm	EZH,ISS,D,B,LSG,1-H,1-P,4x SE	12365	3
O7209	mitsubishi	FB 20 KT	2000 kg	2004	2W330	1200 mm	EZH,SS,B,4x SE	4753	4
B7049	LINDE	E 15 324	1500 kg	1988	3F392	1200 mm	B,4x SE	12327	3
C8078	LINDE	E 20 L-01 386	2000 kg	2010	3F625	1150 mm	DZH,SS,GV,B,L,Kab,H,LSG,1-P,4x SE	14501	3
U1074	JUNGHEINRICH	EFG 215 SP G-480DZ	1500 kg	2004	3F480	1600 mm	EZH,SS,B,L,4x SE	17684	3
J9310	JUNGHEINRICH	EFG 425k G-550DZ	2500 kg	2012	3F550	0 mm	DZH,Kab,H,4x SE	12046	3
O9787	MITSUBISHI	FB 30 K PAC	3000 kg	2012	3F470	1200 mm	DZH,SS,HKab,B,L,4xSE	3729	3
P1508	LINDE	E 16 L-01 386	1600 kg	2012	3F445	1700 mm	EZH,ISS,B,1-P,1-H,4x SE	16356	3
T4755	LINDE	E 16 P-02 335	1600 kg	2003	2W385	1200 mm	EZH,ISS,LSG,DS,1-H,1-P,4x SE	1814	3
R2601	CATERPILLAR	EP 20 K-PAC	2000 kg	2004	3F475	0 mm	EZH,SS,B,LSG,4x SE	6164	3
Y9082	LINDE	E 16 P-01 386	1600 kg	2011	2W385	1200 mm	DZH,ISS,IGV,DS,B,1-P,1-H,4x SE	14094	3
L5568	TOYOTA	8 FBECT 16	1600 kg	2014	2F330	800 mm	EZH,SS,B,L,FS,DS,4x SE	3088	3
K9778	TOYOTA	02-8 FBMF 20	2000 kg	2016	3F550	0 mm	EZH,ISS,DS,B,4x SE	793	2
A6603	LINDE	E 16-02 335	1600 kg	2006	3F535	1000 mm	EZH,ISS,D,B,LSG,1-H,1-P,4xSE	7014	3
E3936	LINDE	E 10 334	1000 kg	2006	2F352	1000 mm	B,L,3x BA	1826	3
M6188	STILL	R 50-15 5044	1500 kg	1997	3F430	0 mm	EZH,SS,B,3x SE	21955	5
L4884	LINDE	E 18 PH-01 386	1800 kg	2011	3F545	2400 mm	DZH,ZVG+SS,Kab,H,B,4x SE	12810	3
B8140	LINDE	E 30-600 387	3000 kg	2011	3F535	2400 mm	DZH,ISS,Kab,H,4x SE	14860	3
D3421	LINDE	E 10 334	1000 kg	2010	2F328	1150 mm	EZH,SS,B,3x BA	6314	3
R6897	LINDE	E 25-02 336	2500 kg	2003	3F425	1200 mm	EZH,ISS,HKab,B,L,4x SE	4481	3
R1057	LINDE	E 16 C-02 335	1600 kg	2004	3F447	1200 mm	EZH,4.V,ISS,Kab,H,B,4x SE	7927	3
N7575	TOYOTA	7 FBEST 15	1500 kg	2014	3F600	1200 mm	EZH,ISS,B+L,3xSE,	5132	3
F3764	HYSTER	J 2.50 XM	2500 kg	2001	3F430	1200 mm	EZH,ISS,B,L,4x SE	8117	3
D8890	LINDE	E 16 P-02 386	1600 kg	2015	2F314	1200 mm	EZH,ISS,B+L,Kab,H,1-P,1-H,4x SE	8483	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new

4 = In need of repair

Mast

1 = Mono

S = Standard

EZH = single additional hydraulics

1-P = One pedal

2 = Good

5 = Not running condition

2 = Duplex

W = Freeview

DZH = double additional hydraulics

Kab = Cabin

3 = Running condition

6 = Spare part truck

3 = Triplex

F = Freelift

SS = Sideshift

LSG = Load protective grid

4 = Quadro

ISS = Integrated sideshift

B = Battery

L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
I2650	LINDE	E 25 L-01 387	2500 kg	2011	3F471	1150 mm	DZH,ZVG+SS,Kab,B,iL,4x SE	5819	3
A4890	TOYOTA	8 FBEKT 16	1600 kg	2014	2F330	800 mm	EZH,SS,DS,FS,B,L,4x SE	2909	3
I1827	LINDE	E 16 P-02 386	1600 kg	2015	2F314	1200 mm	EZH,ISS,HKab,H,B+L,1-H,1-P,4x SE	7303	3
O3976	FIAT	E 10 N	1000 kg	1992	3F405	800 mm	EZH,SS,B,L,4x SE	5128	3
N4359	JUNGHEINRICH	EFG 425k G-550DZ	2500 kg	2012	3F550	0 mm	DZH,Kab,H,B,4x SE	11421	3
W2730	LINDE	E 16 C-02 335	1600 kg	2001	2W325	1100 mm	EZH,ISS,DS,B,L,4x SE	21655	4
Q7549	STILL	RX 50-13 5053	1300 kg	2007	3F440	1200 mm	EZH,SS,B,4x SE	4845	3
U5993	STILL	R 20-18 2011	1800 kg	2001	3F495	1600 mm	B,L,FS,DS,4x SE	10472	3
E9120	JUNGHEINRICH	EFG-DF16acMPGE-450DZ	1600 kg	2002	3F450	1150 mm	EZH,ISS,B,L,4x SE	4374	3
O1019	TOYOTA	8 FBEKT 18	1800 kg	2015	2F330	1200 mm	EZH,ISS,B,L,4x SE	82	1
N5993	TOYOTA	8 FBET 16	1600 kg	2012	2F330	1200 mm	EZH,ISS,B,L,4x SE	14799	3
C6223	TOYOTA	8 FBET 16	1600 kg	2012	2F330	1200 mm	EZH,ISS,B,L,4x SE	15306	3
Z8648	TOYOTA	8 FBET 16	1600 kg	2012	2F330	1000 mm	EZH,ISS,B,L,4x SE	15191	3
Y1411	TOYOTA	8 FBET 20	2000 kg	2015	2W300	1200 mm	3.V,Kab,B,L,4x SE	10	1
Z6352	TOYOTA	8 FBET 20	2000 kg	2015	2W300	1200 mm	3.V,B,L,Kab,4x SE	13	1
I7842	TOYOTA	8 FBET 20	2000 kg	2016	2W300	1200 mm	3.V,Kab.,B,L,4x SE	34	1
M6993	NISSAN	GN 01 L 16 HQ	1600 kg	2004	3F475	1200 mm	EZH,SS,FS,DS,B,LSG,3x SE	9866	3
M6995	LINDE	E 15-01 386	1500 kg	2010	3F522	1200 mm	EZH,ISS,B,4x SE	27804	3
K4720	TOYOTA	8 FBET 20	2000 kg	2012	3F430	1200 mm	EZH,4.V.,ISS,B,L,4x SE	13980	3
C8923	STILL	RX 50-13 5053	1300 kg	2008	3F440	1200 mm	EZH,SS,B,4x SE	8560	3
I1834	JUNGHEINRICH	EFG-DHac 10 GE-435DZ	1000 kg	2003	3F435	1150 mm	EZH,ISS,B,L,LSG,3x SE	2758	3
P6254	TOYOTA	8 FBET 16	1600 kg	2012	2F330	1200 mm	EZH,ISS,B,L,4x SE	669	3
R9123	SICHELSCHMIDT	M 7	1250 kg	1992	2F250	0 mm	EZH,B,3x BA	11804	3
Y2131	LINDE	E 25 L-01 387	2500 kg	2012	3F443	1100 mm	DZH,ZVG+SS,Kab,B,iL,4x SE	5872	3
B3908	LINDE	E 25 L-01 387	2500 kg	2012	3F443	1150 mm	DZH,ZVG+SS,Kab,B,iL,4x SE	5482	3

Counterbalance truck : DIESEL

W8781	HYUNDAI	HDF 45-III	4500 kg	2005	2W450	1500 mm	3.V,Kab,4xSE	9562	3
T5954	HYSTER	H 7.00 XL	7000 kg	2003	2W340	1500 mm	EZH,Kab,Heiz,6xSE	3408	3
V5416	LINDE	H 45 D-04-600 352	4500 kg	2000	2W495	0 mm	DZH,ISS,IGV,Kab,StSch,4xSE	20748	3

Net prices, ex works Stuhr.
Subject to prior sale.

Key

State

1 = Like new

4 = In need of repair

Mast

1 = Mono

S = Standard

EZH = single additional hydraulics

1-P = One pedal

2 = Good

5 = Not running condition

2 = Duplex

W = Freeview

DZH = double additional hydraulics

Kab = Cabin

3 = Running condition

6 = Spare part truck

3 = Triplex

F = Freelift

SS = Sideshift

ISS = Integrated sideshift

LSG = Load protective grid

B = Battery

L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
I8666	TOYOTA	02-5 FD 25	2500 kg	1995	2W450	1150 mm	EZH,SS,LSG,4xSE	4130	3
Q8662	LINDE	H 45 D 352	4500 kg	1998	2W495	1300 mm	DZH,ISS,IGV,Kab,Heiz,LSG,StSch,6x SE	4132,7	3
D1246	STILL	R 70-40 7071	4000 kg	2008	2W490	1200 mm	DZH,DS,4xSE	8572	3
N1732	LINDE	H 80 D-01 396	8000 kg	2011	2W605	0 mm	DZH,Kab,Heiz,StSch,Klima,6xSE	12854	3
Y9467	LINDE	H 70 D 396	7000 kg	2009	2W565	0 mm	DZH,Kab,StSch,4xSE	18709	3
X4601	DOOSAN	D 30 S-3	3000 kg	2005	3F590	1100 mm	EZH,SS,LSG,4xSE	14199	4
Q6034	HYSTER	H 3.0 FT	3000 kg	2006	2W490	0 mm	EZH,ISS,LSG,4xSE	1889	3
I7180	SMV	SL 16-1200 A	16000 kg	1997	2F500	2700 mm	DZH,ISS,IGV,Kab,Heiz,6xSE	14666	3
X4636	LINDE	H 45 D 352	4500 kg	1994	2W495	1300 mm	DZH,ISS,IGV,Kab,Heiz,LSG,StSch,6xSE	14428	3
L4389	LINDE	H 45 D 352	4500 kg	1997	2W495	1200 mm	DZH,Kab,StSch,4xSE	15491	3
F9800	YALE	GDP 16 VX E2025	1600 kg	2008	3F440	900 mm	EZH,ISS,HS,DS,LSG.StSch,4xSE	14224	3
H2674	HYSTER	H 150 F	7000 kg	1981	2W525	1200 mm	DZH,ZVG+Drehgerät,Kab,Heiz,RF,6xSE	7627	4
R3646	SMV	SMV 28-1200 B	28000 kg	2013	2W400	2400x2 mm	Gerät aus Mietflotte	3141	2
L6924	STILL	R 70-45 7050	4500 kg	2003	2W500	2000 mm	DZH,IZVG+SS, ab,Heiz,StSch,4xSE	10615	3
M5625	HYSTER	H 4.00 XL/6	4000 kg	1998	3F425	1350 mm	DZH,ZVG+SS,StSch.4xSE	12039	3
B5496	LINDE	H 30 D-01 393	3000 kg	2011	2W305	900 mm	DZH,GV,HKab,StSch,4xSE	8307	3
P7043	LINDE	H 30 D-02 393	3000 kg	2013	2W415	2400 mm	DZH,ZVG+SS,StSch,4xSE	13846	3
S8650	LINDE	H 35 D-02 393	3500 kg	2013	3F535	1200 mm	DZH,SS,1-P,StSch,4xSE	10792	4
Z7562	LINDE	H 40 D-01 394	4000 kg	2011	2W505	0 mm	DZH,Kab,Heiz,StSch,4xSE	10011	4
U6889	LINDE	H 50 D-01 394	5000 kg	2012	2W375	1500 mm	DZH,ISS,IGV,Kab,Heiz,StSch,4xSE	12733	3
E7931	LINDE	H 50 D 394	5000 kg	2007	2W415	0 mm	DZH,4xSE	14394	4
A1663	LINDE	H 40 D 394	4000 kg	2008	2W505	1100 mm	DZH,SS,GV,Kab,Heiz,StSch,4xSE	18713	3
N1271	HYSTER	H 2.5 FT	2500 kg	2011	3F490	1100 mm	EZH,ISS,Kab,Heiz,LSG,4xSE	11560	3
A6889	STILL	R 70-35 7048	3500 kg	1999	2W435	1400 mm	EZH,SS,LSG,4 x SE	9595	3
V4887	STILL	R 70-35 7048	3500 kg	2001	2W430	1400 mm	EZH,SS,HKab,LSG,4xSE	11289	3
A8770	STILL	R 70-45 7050	4500 kg	2003	2W500	2000 mm	DZH,IZVG+SS,Kab,Heiz,StSch,RG,4xSE	17798	3
K3287	STILL	R 70-45 7050	4500 kg	2005	2W410	0 mm	DZH,Kab,Heiz,StSch,4xSE	6912	4
N3001	STILL	R 70-80 7092	8000 kg	2009	2W260	2200 mm	3.+4.V,Kab,Heiz,StSch,4xSE	4141	3
J2634	STILL	R 70-45 7050	4500 kg	2006	2F370	1200 mm	DZH,HKab,1-H,StSch,4xSE	2332	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new

4 = In need of repair

Mast

1 = Mono

S = Standard

EZH = single additional hydraulics

1-P = One pedal

2 = Good

5 = Not running condition

2 = Duplex

W = Freeview

DZH = double additional hydraulics

Kab = Cabin

3 = Running condition

6 = Spare part truck

3 = Triplex

F = Freelift

SS = Sideshift

LSG = Load protective grid

4 = Quadro

ISS = Integrated sideshift

B = Battery

L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
N9544	TOYOTA	42-7 FD 35	4000 kg	2007	2W400	1200 mm	DZH,SS,GV,Kab,4xLuft	14570	3
K5935	YALE	GDP 25 VX E 2170	2500 kg	2011	2W380	1000 mm	EZH,4.V,DS,4xSE	6118	3
Q2605	JUNGHEINRICH	DFG 545s G450 ZT	4500 kg	2013	2W450	0 mm	DZH,Kab.Heiz,4xSE	1924	2
G2686	KALMAR	DCD 120-6	12000 kg	2001	2W500	2400 mm	DZH,SS,GV,Kab,Heiz,6xLuft	31347	3
K5985	TCM	FD 25 T6	2500 kg	2005	3F435	1200 mm	EZH,SS,FS,DS,Heiz,LSG,4xSE	6693	3
L6769	LINDE	H 45 D 352	4500 kg	1993	2W495	1300 mm	DZH,ISS,IGV,Kab,LSG,6xSE	22924	3
P9557	STILL	R 70-60 7045	6000 kg	1998	2F420	2000 mm	DZH,ISS,IGV,Kab,Heiz,4xSE	12660	3
C3416	LINDE	H 80 D-02 396	8000 kg	2012	2W525	0 mm	DZH,Kab,H,StSch,RF,Klima,4x SE	9792	3
E5767	MITSUBISHI	FD 25 N	2500 kg	2013	3F475	1150 mm	DZH,ZVG+SS,HKab,DSG, 4xSE	4266	3
Y8888	MITSUBISHI	FD 25 N	2500 kg	2013	3F475	1550 mm	DZH,ZVG+SS,HKab,DSG, 4xSE	5027	3
H8530	DOOSAN	D 80 S-2	8000 kg	2006	2W450	2200 mm	DZH,SS,GV,Kab,Heiz,1-P,StSch,6xSE	10911	3
V2852	JUNGHEINRICH	DFG 550s GE450ZT	5000 kg	2013	2W450	1600 mm	DZH,ISS,IGV,Kab,Heiz,StSch,4xSE	2104	3
C5689	MITSUBISHI	FD 25 N	2500 kg	2013	3F475	1150 mm	DZH,ZVG+SS,HKab,DSG,4xSE	6639	3
G3820	YALE	GDP 25 VX E2170	2500 kg	2011	3F490	1100 mm	EZH,ISS,HKab,LSG,4xSE	1	3
F9060	LINDE	H 45 D 394	4500 kg	2006	2W415	2200 mm	EZH,ISS,Kab,Heiz,4xSE	12370	3
L3331	SAMUK	R 25 D	2500 kg	2007	2W330	1100 mm	EZH,SS,LSG,4xSE	3258	3
L6249	STEINBOCK	S 50 / 50D /MKIVC-1	5000 kg	1986	2W305	1200 mm	StSch,6x Luft	0	3
X1571	NISSAN	F 04 D 50 Q	5000 kg	2004	2W370	0 mm	3.V,LSG,4xSE	6650	4
P6313	MOFFETT	M 2003 STM	2000 kg	2003	2W305	1200-2 mm	DZH,ISS,3xLuft	1564	4
G1894	MITSUBISHI	FD 25 N	2500 kg	2013	3F475	1150 mm	DZH,SS,GV,HKab,DSG, 4xSE	6348	3
S4481	STILL	R 70-40 7071	4000 kg	2012	2W488	0 mm		3272	3
Y1907	YALE	GDP 25 TF V2170	2500 kg	1998	2W330	1200 mm	EZH,SS,FS,4xSE	19166	3
B6231	TCM	FD 60-9	6000 kg	2007	2W400	1500 mm	DZH,ISS,IGV,Kab,H,6x SE	3956	3
D5399	HYUNDAI	50DA-7E	5000 kg	2011	2W500	0 mm	DZH,Kab,Heiz,StSch,4xSE	4939	3
M7510	MITSUBISHI	FD 30	3000 kg	1995	2W400	0 mm	EZH,SS,DS,FS,2xLuft,2xSE	4245	4
G5904	LINDE	H 80 D-03 353	8000 kg	2005	2W645	0 mm	DZH,Kab,Heiz,6xSE	14959	3
E4222	LINDE	H 45 D 394	4500 kg	2005	2W505	1300 mm	DZH,SS,GV,Kab,H,LSG,StSch,4x SE	32984	3
R7949	NISSAN	YG 1 D 2 A 32 Q	3200 kg	2010	3F650	1300 mm	DZH,SS,GV,Kab,Heiz,1-P,6xSE	8816	3
J7525	DANTRUCK	9680 DD	8000 kg	2006	2W330	1200 mm	3-ZH,ISS,IGV,Kab,H,StSch,RF,6x SE	12777	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new
2 = Good
3 = Running condition
4 = In need of repair
5 = Not running condition
6 = Spare part truck

Mast

1 = Mono
2 = Duplex
3 = Triplex
4 = Quadro

S = Standard
W = Freeview
F = Freelift

EZH = single additional hydraulics
DZH = double additional hydraulics
SS = Sideshift
ISS = Integrated sideshift

1-P = One pedal
Kab = Cabin
LSG = Load protective grid
B = Battery
L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
R1123	LINDE	H 30 D-01 393 GETR	3000 kg	2011	2W525	0 mm	DZH,Kab,H,StSch,RF,4x SE	14117	3
V5897	LINDE	H 30 D-01 393 GETR	3000 kg	2010	2W525	0 mm	DZH,Kab,H,StSch,RF,4x SE	15187	3
J7506	LINDE	H 30 D-01 393 GETR	3000 kg	2010	2W525	0 mm	DZH,Kab,H,StSch,RF,4x SE	9074	3
E6500	LINDE	H 30 D-01 393 GETR	3000 kg	2012	2W525	0 mm	DZH,Kab,H,StSch,RF,4x SE	7986	3
Z3091	HYUNDAI	80D-7E	8000 kg	2012	3F600	2400 mm	DZH,Kab,H,StSch,Klima,6x SE	10176	3
M4180	BT	Cargo C4D500E	4900 kg	2006	2W415	0 mm	DZH,HKab,StSch,4x SE	4499	3
B3630	NISSAN	F 04 D 45 Q 2	4500 kg	2006	2W330	1200 mm	DZH,FS,DS,4x SE	3149	3
D8228	JUNGHEINRICH	DFG 550s G-500 ZT	5000 kg	2012	2W500	0 mm	DZH,Kab,Heiz,StSch,DSG,4x SE	11899	4
Z7235	LINDE	H 30 D 393 GETR	3000 kg	2010	3F595	0 mm	DZH,Kab,H,StSch,RF,4x SE	13399	3
S4613	DANTRUCK	9660 DD	6000 kg	2007	2W330	1300 mm	DZH,IGV,Kab,H,6x SE	13620	3
Y3410	LINDE	H 80 D-02 396	8000 kg	2012	2W525	0 mm	DZH,Kab,H,Klima,StSch,RF,4x SE	10258	3
Y5722	LINDE	H 16 D-01 391	1600 kg	2010	2F354	1500 mm	EZH,ISS,HKab,4x SE	4177	3
X5598	LINDE	H 16 D-01 391	1600 kg	2010	2F354	1600 mm	EZH,ISS,HKab,4x SE	3624	3
I7943	LINDE	H 30 D-01 393	3000 kg	2012	2W525	0 mm	DZH,Kab,H,StSch,4x SE	10679	3
K6532	LINDE	H 50 D 394	5000 kg	2004	2W375	1000 mm	3.V,StSch,DS,1-P,1-H,4x SE	12133	3
Y7578	HYSTER	H 3.0 FT	3000 kg	2010	3F460	1200 mm	3.V+4.V,4x SE	16702	3
F9534	DOOSAN	D 25 S-5	2500 kg	2008	3F600	1200 mm	EZH,ISS,D,4x SE	7138	3
C2356	HYSTER	H 3.00 XM	3000 kg	1998	2W315	1600 mm	3.V,4xSE	7112	3
Q3316	LINDE	H 30 D-01 393	3000 kg	2011	3F535	2400 mm	DZH,ZVG+SS,Kab,H,LSG,RF,4x SE	14192	3
W4713	LINDE	H 50 D-01/600 394	5000 kg	2012	2W445	0 mm	DZH,Kab,H,Klima,RF,4x SE	14768	3
P2991	LINDE	H 16 D-01 391	1600 kg	2010	2W425	1000 mm	EZH,ISS,1-H,LSG, 4x SE	15781	3
P8899	TCM	FD 60-2	6000 kg	2008	2W400	1500 mm	DZH,ISS,IGV,Kab,H,6x SE	2603	3
Q6021	LINDE	H 16 D-01 391	1600 kg	2010	2W425	1000 mm	EZH,ISS,1-H,LSG,4x SE	16812	3
F9212	LINDE	H 30 D-01 393	3000 kg	2011	3F535	0 mm	DZH,Kab,H,RF,4x SE	16131	3
M5258	KOMATSU	FD 40	4000 kg	1977	2W450	1200 mm	EZH,StSch,6x SE	2096	3
X4635	LINDE	H 80 D-02 353	8000 kg	1999	2W375	2200 mm	DZH,ISS,IGV,Kab,H,RF, 6x SE	16249	3
K3583	LINDE	H 25 D-01 392	2500 kg	2012	2F377	0 mm	EZH,Kab,H,StSch,RF,4x SE	5673	3
H7144	LINDE	H 80 D-900 396	8000 kg	2010	2W445	0 mm	DZH,Kab,StSch,Klima,H,4x SE	14587	3
X7525	MOFFETT	M4 20.3	2000 kg	2010	2W305	1600-1 mm		523	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new

4 = In need of repair

Mast

1 = Mono

S = Standard

EZH = single additional hydraulics

1-P = One pedal

2 = Good

5 = Not running condition

2 = Duplex

W = Freeview

DZH = double additional hydraulics

Kab = Cabin

3 = Running condition

6 = Spare part truck

3 = Triplex

F = Freelift

SS = Sideshift

LSG = Load protective grid

4 = Quadro

ISS = Integrated sideshift

B = Battery

L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
Q2072	MOFFETT	M4 20.3	2000 kg	2012	2W305	1600-1 mm		455	3
U2715	LINDE	H 35 D-03 351	3500 kg	2002	2F441	0 mm	DZH,SS,Kab,H,RF,4x SE	11552	3
U4823	LINDE	H 40 D-01 394	4000 kg	2012	2W505	ja mm	DZH,ZVG+SS,Kab,Heiz,StSch,Klima,4x SE	8474	3
A8269	LINDE	H 40 D 394	4000 kg	2009	2W440	1600 mm	DZH,ZVG+SS,Kab,H,StSch,4x SE	10411	3
V7693	LINDE	H 60 D 396	6000 kg	2009	2W525	0 mm	DZH,Kab,H,1-P,Klima,6x SE	13266	3
N5453	HYSTER	H 8.0 FT9	8000 kg	2012	2W556	0 mm	DZH,Kab,H,Klima,StSch,6x SE	2457	3
S3380	LINDE	H 30 D-05 351	3000 kg	2009	3F627	0 mm	DZH,Kab,4x SE	538	4
K4268	LINDE	H 45 D-04 352	4500 kg	2000	2W495	0 mm	EZH,ISS,Kab,H,4x SE	10044	3
F1770	LINDE	H 40 D-01 394	4000 kg	2012	2W505	1000 mm	DZH,ZVG+SS,Kab,H,Klima,4x SE	8730	3
P7479	CLARK	C 50 SD	5000 kg	2012	2W550	1200 mm	DZH,ISS,StSch,4xSE	2613	3
J1585	LINDE	H 30 D-01 393	3000 kg	2011	2W525	0 mm	DZH,Kab,H,StSch,4x SE	10774	3
Low pallet truck									
J8794	STILL	EXU 20	2000 kg	2014	---	1000 mm	B,iL,7xBA	259	2
H8297	STILL	EXU 16	1600 kg	2015	---	1150 mm	B,iL,7xV	472	3
I8468	STILL	EGU 20 H	2000 kg	2004	---	1150 mm	B,iL,5xV	1126	3
E6556	STILL	EGU 20 H	2000 kg	2004	---	1150 mm	B,iL,5xBA	1941	3
S3150	STILL	EGU 20 H	2000 kg	2004	---	1150 mm	B,iL,5xV	2287	3
Y3710	STILL	EXU 16	1600 kg	2005	---	1200 mm	B,iL,7xBA	362	3
S8967	STILL	EXU-SF 20	2000 kg	2012	---	1200 mm	B,L,7xBA	923	3
P4914	STILL	EXU-SF 20	2000 kg	2012	---	1600 mm	B,L,7xV	220	2
G9257	CESAB	P 218	1800 kg	2012	---	1150 mm	B+L,5xV	1731	3
E6951	STILL	EGU 20 H	2000 kg	2004	---	1150 mm	B,iL,5xV	1344	3
J9258	STILL	EGU 20 H	2000 kg	2004	---	1150 mm	B,iL,5xV	1566	3
U9681	JUNGHEINRICH	EJE-C 20	2000 kg	2013	---	1150 mm	B,iL,5x V	784	3
K3969	STILL	EGU 20 H	2000 kg	2004	---	1150 mm	B,iL,5xV	1428	3
G1350	LINDE	T 16 L 360	1600 kg	2009	---	1150 mm	B,iL,5xV	2612	3
R9249	JUNGHEINRICH	EJE 116 20-115-54	1600 kg	2011	---	1150 mm	B,5xV	2807	3
T7231	LINDE	T 20 S 144	2000 kg	2008	---	1150 mm	B,7xV	5380	3
H6637	OMG	316 KN-M AC	1600 kg	2011	---	1150 mm	B,L,7xBA	1239	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new

4 = In need of repair

Mast

1 = Mono

S = Standard

EZH = single additional hydraulics

1-P = One pedal

2 = Good

5 = Not running condition

2 = Duplex

W = Freeview

DZH = double additional hydraulics

Kab = Cabin

3 = Running condition

6 = Spare part truck

3 = Triplex

F = Freelift

SS = Sideshift

LSG = Load protective grid

4 = Quadro

ISS = Integrated sideshift

B = Battery

L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
H9534	STILL	EXU 16	1600 kg	2005	---	1150 mm	B+iL,7xBA	106	3
W1740	STILL	EXU 16	1600 kg	2006	---	1150 mm	B+iL,7xBA	290	3
D2286	STILL	EXU 16	1600 kg	2005	---	1190 mm	B+iL,7xBA	317	3
N8299	LINDE	CITI ONE T05	500 kg	2011	---	1150 mm	B,L,4xV,1xSE	140	3
A9186	BT	LPE 200/6	2000 kg	2012	---	2350 mm	B,L,7xBA	1446	3
L8850	BT	LPE 200/6	2000 kg	2012	---	2350 mm	B,L,7xBA	353	3
X7782	STILL	EGU 20 H	2000 kg	2004	---	1150 mm	B,iL,5xV	1332	3
F9617	JUNGHEINRICH	EJE 116	1600 kg	2006	---	1150 mm	B,7xBA	8110	3
S5072	STILL	EGU 20 H	2000 kg	2004	---	1150 mm	B,iL,5xV	1497	3
O7261	STILL	EXU 22	2000 kg	2007	---	2380 mm	B,L,7xV	649	3
T4162	BT	LPE 240s	2400 kg	2005	---	1150 mm	B,7xBA	2079	3
Z5589	LINDE	T 1601152	2000 kg	2012	---	1400 mm	B,5x V	3585	3
O5702	LINDE	T 18 1152	1800 kg	2011	---	1150 mm	B,iL,7x BA	3555	3
V4515	CATERPILLAR	NPV 25 N2	2500 kg	2013	---	1150 mm	B,L,7x BA	106	2
L3750	LINDE	T 20 SP 131	2000 kg	2006	---	1150 mm	B,7x BA	16423	3
Z3468	LINDE	T 20 SP 131	2000 kg	2007	---	1150 mm	B,7x BA	17587	3
P5517	LINDE	T 18 360	1600 kg	2000	---	1150 mm	B,7x BA	8387	3
C8640	LINDE	T 16 360	1600 kg	2001	---	1150 mm	B,7x BA	4665	3
J3419	LINDE	T 16 360	1600 kg	2006	---	950 mm	B,iL,5x BA	401	3
O2493	LINDE	T 20 360	2000 kg	2007	---	1150 mm	B,5x BA	6945	3
N5357	LINDE	T 24 SP 131	2400 kg	2011	---	1550 mm	B,L,5x BA	6389	3
Z4642	LINDE	T 18 1152	1800 kg	2011	---	1150 mm	B,iL,7x BA	3893	3
R4456	LINDE	T 20 SP 131	2000 kg	2011	---	1150 mm	B,5x BA	10893	3
W2616	LINDE	T 20 SP 131	2000 kg	2011	---	1150 mm	B,5x BA	12306	3
H1945	LINDE	T 20 SP 131	2000 kg	2011	---	1150 mm	B,5x BA	12220	3
F6976	LINDE	T 20 SP 131	2000 kg	2011	---	1150 mm	B,5x BA	11520	3
H8954	LINDE	T 20 SP 131	2000 kg	2011	---	1150 mm	B,5x BA	13645	3

Warehouse equipment

F9588	STILL	EK-X	1000 kg	2010	1W150	1200 mm	B,3xV	5799	3
-------	-------	------	---------	------	-------	---------	-------	------	---

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

- 1 = Like new
2 = Good
3 = Running condition
4 = In need of repair
5 = Not running condition
6 = Spare part truck

Mast

- 1 = Mono
2 = Duplex
3 = Triplex
4 = Quadro

- S = Standard
W = Freeview
F = Freelif

- EZH = single additional hydraulics
DZH = double additional hydraulics
SS = Sideshift
ISS = Integrated sideshift

- 1-P = One pedal
Kab = Cabin
LSG = Load protective grid
B = Battery
L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
D7157	STILL	EK-X	1000 kg	2010	1W106	1200 mm	B,L,3xV	6188	3
Q9838	JUNGHEINRICH	ETX-K150LSG102/525ZT	1500 kg	2003	2W700	1050 mm	B,L,3xV	4729	3
L8210	JUNGHEINRICH	EFX 410 X+I120-300ZT	1000 kg	2006	2W300	1200 mm	B,L,3xV	733	2
R2910	JUNGHEINRICH	EKX 515k G+S-675ZT	1500 kg	2007	2W675	1200 mm	B,3xV	22774	5
P8185	JUNGHEINRICH	EKX 410 T+I120-575ZT	1000 kg	2010	2W677	1200 mm	3xV	2978	3
C3569	JUNGHEINRICH	EKX 515 F+S160-925ZT	1000 kg	2008	2W1023	1600 mm	B,3 x V	17102	3
Q9889	JUNGHEINRICH	EFX 410 X+I120-425ZT	1000 kg	2010	2W425	1200 mm	B,3xV	3258	3
S4092	LINDE	K 15	1500 kg	2008	3F887	1200 mm	B,L,3xV	2768	3

Order picker

J4736	YALE	MO 20	2000 kg	2013	---	1400 mm	B,L,6xV	1170	3
F5321	YALE	MO 20	2000 kg	2013	---	1400 mm	B,L,6xV	1423	3
M4908	BT	OSE 250	2500 kg	2008	---	2350 mm	B,L,6x V	5565	3
P5565	LINDE	N 20 132	2000 kg	2008	---	2350 mm	B,7x V	9535	3

Tow tugs & Electric plattform trucks

V9261	STILL	R 06-06 0126	0 kg	2004	---	0 mm	3xSE	18135	3
X7325	HAKO	Cargo 2000	2000 kg	2004	---	0 mm	B,L,Kab,4xLuft	567	3
K4507	STILL	R 06-06 0126	0 kg	2009	---	0 mm	B,3xSE	17613	3
I6220	unbekannt	TTE 40 AC	0 kg	2008	---	0 mm	B,3xSE	215	3
I4070	BT	610 AC-TT	500 kg	2009	---	0 mm	B,L,7 x BA	2039	3
D6739	LINDE	W 20 0127	2000 kg	2002	---	0 mm	Kab,Heiz,B,L,4xLuft	54343	4
B8122	KÄRCHER	KM120/150R BT Pack	0 kg	2010	---	0 mm	B,iL,1xBA,2xSE	144	3
D8274	STILL	R 06-06 0126	0 kg	2003	---	0 mm	B,3xSE	5929	3
I9069	STILL	R 06-06 0126	0 kg	2003	---	0 mm	B,3xSE	13635	3
G8628	STILL	R 07-25 0127	25000 kg	2006	---	0 mm	B+L,Kab,Heiz,4xSE	18943	3
A4142	STILL	R 07-25 0127	25000 kg	2000	---	0 mm	HKab,4xSE	869	3
H7274	STILL	R 07-25 0127	25000 kg	2008	---	0 mm	B,L,Kab,Heiz,4xLuft	1344	3
L6322	HAKO	Balayeuse	0 kg	---	---	0 mm	0	0	3
Q6522	STILL	R 06-06 0126	0 kg	2005	---	0 mm	3 x SE	17390	4
F6043	STILL	R 06-06 0126	0 kg	2005	---	0 mm	3xSE	11910	4

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new
2 = Good
3 = Running condition
4 = In need of repair
5 = Not running condition
6 = Spare part truck

Mast

1 = Mono
2 = Duplex
3 = Triplex
4 = Quadro
S = Standard
W = Freeview
F = Freelift

EZH = single additional hydraulics
DZH = double additional hydraulics
SS = Sideshift
ISS = Integrated sideshift

1-P = One pedal
Kab = Cabin
LSG = Load protective grid
B = Battery
L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
B3522	STILL	R 06-06 0126	0 kg	2004	---	0 mm	3xSE	10660	3
O3559	STILL	R 06-06 0126	0 kg	2003	---	0 mm	B,3xSE	45337	3
C3154	STILL	R 07-25 0127	25000 kg	2006	---	0 mm	Kab,Heiz,B,4 x SE	1757	3
Q2266	TERBERG	RT 26-31	0 kg	1993	---	0 mm	StSch,Kab,6xLuft	2976	3
R7317	STILL	R 06-06 0607	0 kg	1997	---	0 mm	Kab,Heiz,B,3xSE	24336	3
R6770	STILL	R 06-06 0126	0 kg	2011	---	0 mm	B,3xV	4987	3
P1179	LINDE	W 20 0127	3500 kg	2001	---	0 mm	Kab,B,4xSE	2782	3
L5631	STILL	R 06-06 0126	0 kg	2011	---	0 mm	B,3xSE	1649	3
U1681	HAKO	Jonas 1100	0 kg	1992	---	0 mm	3xSE	370	3
P7598	HAKO	Jonas 950	0 kg	1996	---	0 mm		0	5
Z7648	LINDE	W 20 0127	2000 kg	2002	---	0 mm	Kab,B,2xLuft,2xSE	8009	3
D4415	STILL	R 06-06 0126	0 kg	2008	---	0 mm	B,L,3xSE	37366	3
O3207	HAKO	Hakomatic B900	0 kg	2009	---	0 mm	B,L3x SE	144	4

Reach truck

R2618	JUNGHEINRICH	ETV-C 16	1600 kg	2005	3F530	1150 mm	B,3xSE	3694	3
L7686	CATERPILLAR	NR 25 NH	2500 kg	2010	3F1050	1150 mm	DZH,ISS,IGV,B,L,LSG,3xBA	4637	3
A7975	CATERPILLAR	NR 25 NH	2500 kg	2010	3F1050	1150 mm	DZH,ISS,IGV,B,L,LSG,3xBA	4695	3
C1634	JUNGHEINRICH	ETV 116	1600 kg	2005	3F710	1150 mm	DZH,ZVG,ISS,B+L,3xV	7450	3
Q6309	CATERPILLAR	NR 25 NH	2500 kg	2010	3F1050	1150 mm	DZH,ISS,IGV,B,L,LSG,3xBA	5647	3
R8291	JUNGHEINRICH	ETV 214	1400 kg	2000	3F830	1150 mm	EZH,ISS,B,L,3x V	15847	3
E1153	STILL	FM 14	1400 kg	2001	3F800	1200 mm	4.V,ISS,B,3xBA	3092	4
P8396	BT	RRE 200 E	2000 kg	2011	3F1150	1150 mm	EZH,ISS,B,LSG,3xV	7821	3
U6420	BT	RR B7	2500 kg	2006	3F1000	0 mm	EZH,ISS,DS,B,LSG,3xV	3862	3
J4321	HYSTER	R 1.4	1400 kg	2002	3F852	1200 mm	EZH,SS,B,3xBA	5663	3
F9367	YALE	MR 16	1600 kg	2008	3F680	800-12 mm	EZH,SS,3xBA	0	5
D6715	LINDE	R 14 G-03 115	1400 kg	2008	3F615	1150 mm	EZH,ISS,LSG,B,3xSE	12033	3
F3246	LINDE	R 17 X 116	1700 kg	2010	3F1145	0 mm	ISS,3xBA	14959	3
H4420	JUNGHEINRICH	ETV-H 320	2000 kg	2004	3F962	1150 mm	EZH,ISS,DS,B,3xV	11396	3
S9154	JUNGHEINRICH	ETV-H 320	2000 kg	2004	3F842	1200 mm	EZH,ISS,DS,B,3 x V	11397	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new
2 = Good
3 = Running condition
4 = In need of repair
5 = Not running condition
6 = Spare part truck

Mast

1 = Mono
2 = Duplex
3 = Triplex
4 = Quadro
S = Standard
W = Freeview
F = Freelif

EZH = single additional hydraulics
DZH = double additional hydraulics
SS = Sideshift
ISS = Integrated sideshift

1-P = One pedal
Kab = Cabin
LSG = Load protective grid
B = Battery
L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
Q7364	BT	RR B2	1600 kg	2007	3F750	1200-2 mm	EZH,ISS,B,L,LSG,3xBA	8329	3
I2486	YALE	MR 25	2500 kg	2006	3F900	1200 mm	EZH,ISS,B,L,3xV	17669	3
N1921	MITSUBISHI	RB 16 NH	1600 kg	2012	3F800	1150 mm	EZH,ISS,LSG,B+L,3xBA	4135	3
F6241	MITSUBISHI	RB 16 NH	1600 kg	2012	3F800	1150 mm	EZH,ISS,LSG,B+L,3xBA	3535	3
K8272	MITSUBISHI	RB 16 NH	1600 kg	2012	3F800	1150 mm	EZH,ISS,LSG,B+L,3xBA	3256	3
I8941	LINDE	R 20 115	2000 kg	2002	3F575	1600 mm	EZH,ISS,B,3xBA	11294	3
F6378	LINDE	R 16 115	1600 kg	2004	3F625	800-12 mm	EZH,B,3xV	10585	5
V6997	LINDE	R 17 X HD 116	1700 kg	2010	3F1125	0 mm	EZH,ISS,Kab,Heiz,3xBA	16043	3
Z2489	JUNGHEINRICH	ETV 325 GNE160-842DZ	2500 kg	2007	3F842	0 mm	EZH,ISS,DS,B,3x BA	15613	3
C1291	YALE	MR 16	1600 kg	2007	3F680	1200 mm	EZH,ISS,3xBA	10597	5
S4947	JUNGHEINRICH	ETV 216	1600 kg	2003	3F880	0 mm	EZH,ISS,B,3xV	3138	3
V2119	ATLET	UNN 140 DTFVRE 675	1400 kg	2002	3F630	1200 mm	EZH,SS,B,L,3xBA	8640	3
T1766	LINDE	R 14 115	1400 kg	2004	3F655	0 mm	EZH,ISS,B,3xV	6217	3
N9875	JUNGHEINRICH	ETV 214	1400 kg	2000	3F800	1200 mm	EZH,ISS,B,3xBA	18076	3
C7393	CATERPILLAR	NR 25 NH	2500 kg	2010	3F1050	1150 mm	DZH,ISS,IGV,B,L,LSG,3xBA	5128	3
S1657	CATERPILLAR	NR 25 NH	2500 kg	2010	3F1050	1150 mm	DZH,ISS,IGV,B,L,LSG,3xBA	4443	3
M3010	MITSUBISHI	RB 16 NH	1600 kg	2012	3F800	1150 mm	EZH,ISS,LSG,B,L,3xBA	4209	3
Y9804	ROCLA	F 14 C TXFL6300	1400 kg	2002	3F630	1150 mm	EZH,SS,DS,B,3xV	1229	3
J8371	LINDE	R 14 115	1400 kg	2004	3F625	1200 mm	EZH,ISS,B,1-P,3xBA	8917	3
B5842	JUNGHEINRICH	ETM 214 GE-740DZ	1400 kg	2011	3F740	0 mm	EZH,ISS,3x BA	4023	3
V2781	BT	RR B2	1600 kg	2005	3F750	1200 mm	EZH,ISS,B,L,3x V	9831	3
C5075	JUNGHEINRICH	ETV 214 115-650DZ	1400 kg	2005	3F650	1150 mm	EZH,ISS,B,3xV	7980	3
G4889	LINDE	R 14 115	1400 kg	2002	3F625	1100 mm	EZH,ISS,B,1-P,3xV	8762	3
S2973	JUNGHEINRICH	ETV 214	1400 kg	2004	3F680	1150 mm	EZH,ISS,B,L,3xV	14189	3
K4919	JUNGHEINRICH	ETV 214	1400 kg	2004	3F842	1150 mm	EZH,ISS,B,3xV	8213	3
M5204	LINDE	R 20 113	2000 kg	1998	3F965	1150 mm	EZH,ISS,B,L,3xV	7186	3
I2897	STEINBOCK	WR 20 GNE115-1022DZ	2000 kg	2001	3F1022	1150 mm	EZH,5.V,ISS,B,L,3xV	4499	3
O2350	JUNGHEINRICH	ETV 214	1400 kg	2004	3F680	1150 mm	EZH,ISS,B,L,3xV	13559	3
T9788	LINDE	R 14 115	1400 kg	2003	3F610	0 mm	EZH,ISS,B,LSG,3x BA	10969	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new

4 = In need of repair

Mast

1 = Mono

S = Standard

EZH = single additional hydraulics

1-P = One pedal

2 = Good

5 = Not running condition

2 = Duplex

W = Freeview

DZH = double additional hydraulics

Kab = Cabin

3 = Running condition

6 = Spare part truck

3 = Triplex

F = Freelift

SS = Sideshift

ISS = Integrated sideshift

LSG = Load protective grid

B = Battery

L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
B4177	BT	RR B 3	1600 kg	2006	3F850	1150 mm	EZH,ISS,B,L,LSG,3xBA	16245	3
N4072	BT	RR E 3	1600 kg	2007	3F850	1150 mm	EZH,ISS,B,L,3xBA	15837	3
H4964	mitsubishi	RB 14 N	1400 kg	2012	3F630	1150 mm	EZH,ISS,B,3xBA	5980	3
B3644	JUNGHEINRICH	ETV 216	1600 kg	2006	3F620	800-12 mm	EZH,ISS,D,B,L,4x BA	6399	3
R7171	mitsubishi	RB 14 N	1400 kg	2012	3F630	1200 mm	EZH,ISS,B,L,3xBA	8464	3
W8931	mitsubishi	RB 14 N	1400 kg	2012	3F630	1200 mm	EZH,ISS,B,L,3xBA	6155	3
S7291	mitsubishi	RB 20 K	2000 kg	2004	3F540	1150 mm	EZH,ISS,B,L,3xV	5576	3
P4858	linde	R 14 115	1400 kg	2003	3F665	800 mm	EZH,ISS,B,L,3xV	4152	3
J5781	JUNGHEINRICH	ETV 214	1400 kg	2004	3F872	1150 mm	EZH,ISS,B,LSG,3x V	16782	3
F4391	linde	R 16 115	1600 kg	2004	3F625	1200 mm	EZH,ISS,B,3xBA	11762	3
P2970	linde	R 16 115	1600 kg	2004	3F625	1200 mm	EZH,ISS,B,3xV	13215	3
Y9072	linde	R 16 115	1600 kg	2004	3F625	1200 mm	EZH,ISS,B,3xBA	12411	3
W7300	JUNGHEINRICH	ETV 325 GNE-1070DZ	2500 kg	2008	3F1070	1400 mm	DZH,SS,GV,B,L,3x V	21720	3
E5065	JUNGHEINRICH	ETV 335 GE+ZV-845DZ	3500 kg	2008	3F845	1400 mm	DZH,SS,GV,B,L,3x V	6614	3
U2188	JUNGHEINRICH	ETV 214 115-650DZ	1400 kg	2005	3F650	1150 mm	B,L,3x V	11071	3
S3919	JUNGHEINRICH	ETV 214 872DZ	1400 kg	2005	3F872	1150 mm	EZH,ISS,B,3xV	8539	3
K9180	JUNGHEINRICH	ETV 214 115-650DZ	1400 kg	2005	3F650	1150 mm	B,L,3x V	11073	3
E3030	JUNGHEINRICH	ETV 214	1400 kg	2004	3F770	1150 mm	EZH,ISS,B,3x BA	4083	3
N9530	linde	R 14 113	1400 kg	1995	3F625	1100 mm	EZH,ISS,3x V	6347	5
H8760	still	FM-X 17	1700 kg	2012	3F750	1200-2 mm	DZH,ISS,GV,B,L,3x BA	7225	3
H7333	BT	RR B 2	1600 kg	2007	3F750	1150 mm	EZH,ISS,B,1-P,3xBA	3300	3
F2431	linde	R 25-12 115	2500 kg	2012	3F795	1200 mm	DZH,ISS,GV,B,3x BA	13898	3
H4873	linde	R 25-12 115	2500 kg	2012	3F795	1200 mm	DZH,ISS,GV,B,3x BA	11696	3
P9816	linde	R 25-12 115	2500 kg	2012	3F795	1200 mm	DZH,ISS,GV,B,3x BA	10867	3
E8923	linde	R 25-12 115	2500 kg	2012	3F795	1200 mm	DZH,ISS,GV,B,3x BA	15667	3
N9917	BT	RRE 250	3200 kg	2011	2W450	1150 mm	EZH,ISS,B,L,3x BA	6421	3
B3709	linde	R 14 115	1400 kg	2000	3F660	1200 mm	EZH,ISS,B,3x V	26414	3
Z9067	JUNGHEINRICH	ETV-A 20 -680DZ	2000 kg	1995	3F680	0 mm	DZH,3x V	6380	3
R2284	JUNGHEINRICH	ETV 216 GE-620DZ	1600 kg	2009	3F620	1150 mm	EZH,ISS,B,L,3x BA	10567	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new

4 = In need of repair

Mast

1 = Mono

S = Standard

EZH = single additional hydraulics

1-P = One pedal

2 = Good

5 = Not running condition

2 = Duplex

W = Freeview

DZH = double additional hydraulics

Kab = Cabin

3 = Running condition

6 = Spare part truck

3 = Triplex

F = Freelift

SS = Sideshift

ISS = Integrated sideshift

LSG = Load protective grid

B = Battery

L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
F5724	BT	RR B2	1600 kg	2006	3F750	1200-2 mm	EZH,ISS,B,L,3x BA	9298	3
E4917	LINDE	R 20 S-12 115	2000 kg	2011	3F1095	0 mm	EZH,ISS,B,Kab,H,1-H,1-P,3x BA	18271	3
H8189	BT	RR B2	1600 kg	2006	3F750	1200 mm	EZH,ISS,B,L,LSG,3x BA	10474	3
I4551	BT	RR B2	1600 kg	2006	3F750	1200-2 mm	DZH,ISS,IGV,B,L,3x BA	12156	3
P2297	LINDE	R 14 S-12 115	1400 kg	2011	3F855	1200 mm	EZH,ISS,B,3x BA	9159	3
R8279	LINDE	R 14 S-12 115	1400 kg	2012	3F855	1200 mm	EZH,ISS,B,3x BA	7331	3
Sideloader									
J3141	NIKOLIC	EFQ 50/16/60 T	5000 kg	1997	3F600	1550 mm	EZH,Kab,Heiz,B,L,4xSE	10154	3
K7914	JUMBO	J/SH60/14/40	6000 kg	2001	2S400	1200 mm	EZH,Kab,Heiz,4xLuft	14527	3
S8140	JUMBO	J/SH40/14/55	4000 kg	1999	2S550	1400 mm	4xSE	7696	5
Counterbalance truck : TREIBGAS									
G4940	TOYOTA	02-8 FGF 30	3000 kg	2012	3F430	1200 mm	EZH,GT,4xSE	5773	3
Y3981	NISSAN	UD 02 A 25 PQ	2500 kg	2007	3F515	1200 mm	EZH,SS,DS,1-P,1-H,LSG,4xSE	5848	3
X4863	STILL	RX 70-16T 7314	1600 kg	2011	3F462	1150-2 mm	DZH,ISS,IGV,FS,DS,Heiz,GT,4 x SE	11778	3
M1976	STILL	RX 70-16T 7314	1600 kg	2011	3F460	1150 mm	DZH,ISS,IGV,HKab,GT,5.V	7821	3
W4555	STILL	RX 70-22T 7325	2200 kg	2011	2W422	1100 mm	EZH,ISS,LSG,4xSE	12024	3
R3359	HYSTER	H 3.00 FT	3000 kg	2006	2W470	1000 mm	DZH,4xSE	10519	3
G4259	HYSTER	H 3.00 FT	3000 kg	2006	2W460	1000 mm	DZH,HKab,4xSE	16326	3
W4331	HYSTER	H 3.00 FT	3000 kg	2006	2W470	1000 mm	DZH,HKab,4xSE	15009	3
H1520	HYSTER	H 5.0 FT LPG	5000 kg	2007	2W550	1470 mm	DZH,ISS,IGV,Kab,Heiz,GT,4xSE	15390	3
E7616	YALE	GLP 25 VX V2770	2500 kg	2010	2W430	0 mm	DZH,4xSE	8582	3
B4003	mitsubishi	FG 25 N	2500 kg	2010	3F480	0 mm	DZH,GT,4xSE	10573	3
D5214	JUNGHEINRICH	TFG 425 GE-330ZZ	2500 kg	2007	2F328	ja mm	EZH,ISS,HKab,4xSE	9334	4
T1746	JUNGHEINRICH	TFG 430 G-430ZT	3000 kg	2011	2W430	0 mm	DZH,HKab,GT,4 x SE	14175	3
F7267	JUNGHEINRICH	TFG 430 G-430ZT	3000 kg	2011	2W430	0 mm	DZH, GT,HKab,4 x SE	13405	3
B2092	JUNGHEINRICH	TFG 430 G-430ZT	3000 kg	2011	2W430	0 mm	DZH,GT,HKab,4xSE	11302	3
M6499	NISSAN	UD 02 A 25 PQ	2500 kg	2003	2W450	0 mm	DZH,Kab,4xSE	4565	3
J4164	MITSUBISHI	FG 25	2500 kg	1996	2W370	1200 mm	EZH,SS,DS,FS,LSG,4xSE	5389	3
M2242	STILL	RX 70-22T 7325	2200 kg	2011	2W422	1100 mm	EZH,ISS,LSG,4xSE	12044	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new
2 = Good
3 = Running condition
4 = In need of repair
5 = Not running condition
6 = Spare part truck

Mast

1 = Mono
2 = Duplex
3 = Triplex
4 = Quadro

S = Standard
W = Freeview
F = Freelift

EZH = single additional hydraulics
DZH = double additional hydraulics
SS = Sideshift
ISS = Integrated sideshift

1-P = One pedal
Kab = Cabin
LSG = Load protective grid
B = Battery
L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
V4202	STILL	RX 70-16T 7314	1600 kg	2011	3F462	1200 mm	DZH,ISS,IGV,Hkab,Gt,4 x SE	671	3
D3394	HYSTER	H 1.8 FT LPG	1800 kg	2006	2W430	1200 mm	EZH,ISS,Kab,Heiz,GT,4xSE	20327	3
U6923	LINDE	H 25 T-01 392	2500 kg	2012	2W315	1200 mm	3.V,Kab,4xSE	2662	3
K7649	YALE	GLP 25 VX V2770	2500 kg	2010	2W430	0 mm	DZH,4xSE	5782	3
E4646	YALE	GLP 45 LF	4500 kg	1998	2W458	2400 mm	EZH,4.V,ISS,FS,4xSE	2270	3
B5086	JUNGHEINRICH	TFG 425s GE-330ZT	2500 kg	2011	2W330	1000 mm	DZH,ISS,GV,Kab,Heiz,4xSE	13432	3
Y5063	NISSAN	AP 1 F 2 A 25 DU	2500 kg	2012	3W330	900 mm	EZH,4xSE	11088	3
Q5776	DOOSAN	G 30 E-5	3000 kg	2014	2W330	0 mm	DZH,HKab,GT,4 x SE	2993	3
O2191	MITSUBISHI	FG 25 N	2500 kg	2009	3F470	ohne mm	DZH,GT,4 x SE	12266	3
A2527	LINDE	H 35 T-01 393	3500 kg	2011	2F420	0 mm	EZH,ISS,Kab,Heiz,GT,4xSE	10941	3
G7269	JUNGHEINRICH	TFG 435s G-500ZT	3500 kg	2013	2W500	0 mm	DZH,Kab,Heiz,GT,4xSE	14721	3
A2050	LINDE	H 25 T-02 392	2500 kg	2013	2W405	1200 mm	EZH,ISS,Kab,Heiz,DSG,4xSE	8596	3
C3445	HYSTER	H 3.00 FT LPG	3000 kg	2006	2W470	1000 mm	DZH,HKab,4xSE	8192	3
T8312	LINDE	H 80 T-900 396	8000 kg	2011	2W445	0 mm	DZH,GT,Kab,Heiz,6xSE	16226	3
B1524	TCM	FG 15 N 15 T	1500 kg	1986	2W330	1150 mm	LSG,4xLuft	0	3
W4036	MITSUBISHI	FG 25 N	2500 kg	2010	3F480	0 mm	DZH,GT,4xSE	11539	3
V5892	NISSAN	AP 1 F 2 A 25 DU	2500 kg	2012	2W370	1200 mm	EZH,4xSE	8838	3
R9494	HYSTER	H 1.6 FT LPG	1600 kg	2013	3F490	1100 mm	EZH,ISS,DS,GT,4xSE	3382	3
U1471	JUNGHEINRICH	TFG 316 G-330ZT	1600 kg	2015	2W330	1400 mm	DZH,ZVG+SS,DS,4xSE	201,2	3
B6250	JUNGHEINRICH	TFG 30 BK	3000 kg	1997	3F600	1200 mm	EZH,SS,HKab,4x SE	3439	3
G7920	MITSUBISHI	FG 35 N	3500 kg	2007	2W450	1200 mm	EZH,SS,LSG,4xSE	4301	3
V5300	STILL	R 70-30T 7070	3000 kg	2005	3F468	1200 mm	DZH,ZVG+SS,Kab,Heiz,GT,4xSE	27814	3
P8890	STILL	RX 70-22T 7325	2200 kg	2011	2W422	1100 mm	EZH,ISS,LSG,4xSE	11547	3
A1842	STILL	RX 70-35T 7328	3500 kg	2013	3F448	0 mm	DZH,Kab,Heiz,4xSE	13936	3
G6244	HYSTER	H 3.0 FT LPG	3000 kg	2008	2F400	1200 mm	3.+4.V,FS,HS,4xSE	24351	3
U3456	STILL	R 70-16T 7097	1600 kg	2008	2W360	1200 mm	EZH,ISS,Kab,Heiz,4xSE	2885	3
A8549	LINDE	H 16 T-03 350	1600 kg	2006	3F445	0 mm	EZH,ISS,Kab,GT,4xSE	11468	3
G8760	MITSUBISHI	FG 25 N	2500 kg	2007	2W330	1050 mm	EZH,SS,LSG,4xSE	5372	3
S2225	BALKANCAR	TFG 1633	1600 kg	1993	2W330	1150 mm	3.+4.VbisFP,LSG,4xSE	568	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new

4 = In need of repair

Mast

1 = Mono

S = Standard

EZH = single additional hydraulics

1-P = One pedal

2 = Good

5 = Not running condition

2 = Duplex

W = Freeview

DZH = double additional hydraulics

Kab = Cabin

3 = Running condition

6 = Spare part truck

3 = Triplex

F = Freelift

SS = Sideshift

LSG = Load protective grid

4 = Quadro

ISS = Integrated sideshift

B = Battery

L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
O3704	mitsubishi	FG 25 N	2500 kg	2007	2W400	1100 mm	EZH,SS,LSG,4xSE	1536	3
P8323	CATERPILLAR	GP 25 N	2500 kg	2007	3F430	1000 mm	DZH,SS,LSG,4xSE	1256	3
G5940	STILL	R 70-35T 7084	3500 kg	2005	2W332	1200 mm	EZH,SS,Kab,Heiz,4xSE	32207	3
H6560	HYSTER	H 2.50 XM	2500 kg	2000	2W380	1200 mm	EZH,SS,HKab,LSG,4x SE	5081	3
X5570	LINDE	H 30 T-01 393	3000 kg	2011	3F645	0 mm	DZH,HKab,GT,4xSE	13933	3
L2000	TOYOTA	02-8 FGF 25	2500 kg	2012	2W330	0 mm	DZH,Kab,H,StSch,4x SE	14463	3
S5757	TOYOTA	02-8 FGF 18	1800 kg	2011	2F330	1200 mm	DZH,ISS,DS,1-P,1-H,TGT,4x SE	10445	3
G1897	TOYOTA	02-8 FGF 25	2500 kg	2012	2W330	2350 mm	EZH,SS,Kab,H,LSG,StSch,4x SE	19862	3
R3407	TOYOTA	02-8 FGF 25	2500 kg	2012	2W330	1500 mm	EZH,SS,Kab,H,LSG,StSch,4xSE	11746	3
H9638	TOYOTA	02-8 FGF 25	2500 kg	2012	2W330	0 mm	DZH,Kab,H,StSch,4xSE	14571	3
A8094	TOYOTA	42-6 FGF 25	2500 kg	1998	2W370	1600 mm	3.V,LSG,4x SE	13066	3
T5052	LINDE	H 20 T-01 391	2000 kg	2011	3F462	1300 mm	EZH,ISS,DS,TGT,DSG,4x SE	11313	3
W8727	LINDE	H 16 T-01 391	1600 kg	2012	2W325	1200 mm	EZH,ISS,Kab,H,LSG,DSG,TGT,4x SE	9991	3
P7338	LINDE	H 16 T-01 391	1600 kg	2012	2W425	2000 mm	EZH,ISS,Kab,H,LSG,DSG,TGT,4x SE	9379	3
Y2324	LINDE	H 16 T-01 391	1600 kg	2011	3F462	1200 mm	EZH,ISS,DS,TGT,4x SE	16607	3
B9097	LINDE	H 35 T-01 393 GETR	3500 kg	2012	3F595	0 mm	DZH,Kab,H,TGT,DSG,4x SE	11481	3
Z1653	LINDE	H 35 T-01 393 GETR	3500 kg	2012	3F595	0 mm	DZH,Kab,H,TGT,DSG,4x SE	10378	3
G9925	mitsubishi	FG 25 N	2500 kg	2012	3F506	1300 mm	DZH,SS,GV,Kab,H,DSG,TGT,4x SE	14473	3
P9320	mitsubishi	FG 18 K	1750 kg	2003	2W448	1050 mm	EZH,SS,DS,LSG,4x SE	8876	3
M8837	mitsubishi	FG 20	2000 kg	1981	2W300	1150 mm	DS,LSG.4x SE	9642	3
F5215	TOYOTA	02-8 FGF 30	3000 kg	2012	2W500	1200 mm	DZH,SS,HKab,LSG,TGT,4x SE	9458	3
H6657	TOYOTA	02-8 FGF 30	3000 kg	2012	3F600	0 mm	DZH,Kab,H,StSch,TGT,DSG,4x SE	7275	3
O4960	LINDE	H 25 T-02 392	2500 kg	2014	2W315	1200-2 mm	DZH,ISS,Kab,H.StSch,4x SE	5699	3
C2034	YALE	GLP 25 VX V2420	2500 kg	2011	2W379	1150 mm	EZH,ISS,LSG,4xSE	26355	4
D3134	mitsubishi	FG 25	2500 kg	1998	3F430	1200 mm	EZH,SS,DS,FS,4x SE	9155	3
F9106	LINDE	H 14 T-01 391	1400 kg	2011	3F384	1200 mm	EZH,ISS,Kab,H,LSG,4x SE	17584	3
X5014	LINDE	H 14 T-01 391	1400 kg	2013	3F462	1200 mm	EZH,ISS,4x SE	8984	3
P7118	LINDE	H 14 T-01 391	1400 kg	2013	2F314	1150 mm	EZH,ISS,4x SE	5479	3
J7764	LINDE	H 14 T-01 391	1400 kg	2013	2F314	1150 mm	EZH,ISS,4x SE	4995	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new

4 = In need of repair

Mast

1 = Mono

S = Standard

EZH = single additional hydraulics

1-P = One pedal

2 = Good

5 = Not running condition

2 = Duplex

W = Freeview

DZH = double additional hydraulics

Kab = Cabin

3 = Running condition

6 = Spare part truck

3 = Triplex

F = Freelift

SS = Sideshift

ISS = Integrated sideshift

LSG = Load protective grid

B = Battery

L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
N2859	LINDE	H 25 T-01 392	2500 kg	2011	2W505	2300 mm	DZH,ISS,GV,Kab,H,Klima,StSch,TGT,4x SE	11289	3
H1647	LINDE	H 40 T-01 394	4000 kg	2011	2W410	1600 mm	EZH,ISS,Kab,Heiz,LSG,StSch,Klima,4x SE	11885	3
S2384	STILL	R 70-30T 7070	3000 kg	2001	3F480	0 mm	DZH,Kab,H,TGT,4x Luft	13116	3
R4197	TOYOTA	02-8 FGF 25	2500 kg	2011	2W370	1100 mm	EZH,ISS,DS,4x SE	2286	3
T1112	LINDE	H 35 T-01 393 GETR	3500 kg	2012	3F595	0 mm	DZH,Kab,H,TGT,DSG,4x SE	12436	3
J5166	LINDE	H 35 T-01 393 GETR	3500 kg	2012	3F595	0 mm	DZH,Kab,H,TGT,DSG,4x SE	11342	3
A9000	LINDE	H 20 T-01 391	2000 kg	2012	2W325	2000 mm	EZH,ISS,Kab,H,LSG,DSG,TGT,4x SE	7635	3
I4300	YALE	GLP 25 VX V2770	2500 kg	2010	2W430	0 mm	DZH,4xSE	6139	3
R7656	HYSTER	H 7.00 XL LPG	7000 kg	1997	2W340	1800 mm	DZH, IZVG+SS,Kab,H,TGT,6x SE	3787	3
V1750	LINDE	H 20 T-01 391	2000 kg	2012	2W385	1200 mm	EZH,4.VbisFP,ISS,IGV,1-H,1-P,4x SE	24763	3
N6360	LINDE	H 16 T-03 350	1600 kg	2005	3F545	1100 mm	EZH,ISS,1-H,TGT,4x SE	12972	3
Q2568	LINDE	H 16 T-03 350	1600 kg	2004	3F445	1200 mm	DZH,ISS,IGV,Kab,H,4x SE	7367	3
E6762	TOYOTA	02-8 FGF 15	1500 kg	2012	2W330	1200 mm	EZH,SS,DS,LSG,TGT,4x SE	9565	3
I9131	HYSTER	H 5.00 XL LPG	5000 kg	1994	3F530	1300 mm	EZH,ISS,Kab,Heiz,TGT,4x SE	7364	3
G8649	JUNGHEINRICH	TFG 435s	3500 kg	2013	2W600	0 mm	DZH,Kab,H,TGT,6x SE	10816	3
P4704	LINDE	H 25 T-02 392	2500 kg	2013	3F471	1600 mm	DZH,ISS,IGV,HKab,1-P,LSG,TGT,4x SE	13383	3
F3026	LINDE	H 25 T-02 392	2500 kg	2013	3F471	0 mm	DZH,ISS,IGV,Kab,LSG,TGT,1-P,4x SE	13112	3
E9773	HYSTER	H 3.00 FT LPG	3000 kg	2014	2W360	1400 mm	DZH,iZVG+SS,HKab,LSG,TGT,4x SE	1842	3
D1074	HYSTER	H 3.00 FT LPG	3000 kg	2014	2W360	2000 mm	DZH,IZVG+SS,HKab,LSG,TGT,4x SE	3854	3
W6285	JUNGHEINRICH	TFG 435s G-500ZT	3500 kg	2012	2W500	0 mm	DZH,Kab,H,4x SE	15022	3
O5797	LINDE	H 30 T 393	3000 kg	2012	2F430	0 mm	EZH,ISS,Kab,H,4x SE	13450	3
C3745	TOYOTA	02-8 FGF 15	1500 kg	2011	2F330	1200 mm	EZH,ISS,TGT,4x SE	10597	3
Y9278	TOYOTA	02-8 FGF 15	1500 kg	2011	2F330	1200 mm	EZH,ISS,DS,TGT,4x SE	9839	3
Z8485	TOYOTA	02-8 FGF 25	2500 kg	2011	3F470	1200 mm	EZH,ISS,DS,TGT,4x SE	6637	3
K9883	NISSAN	PD 01 A 15 PQ	1500 kg	2004	2W330	1200 mm	EZH,SS,FS,DS,LSG,4x SE	4056	3
4 direction truck									
G6461	HUBTEX	VQ 40 EL	4000 kg	1999	2S460	1300 mm	EZH,IGV,Kab,B,L,6xV	6374	3
W6396	COMBILIFT	C 4000 LPG	4000 kg	2007	3F675	1200 mm	EZH,IGV,Kab,Heiz,3xSE	14627	4

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new

4 = In need of repair

Mast

1 = Mono

S = Standard

EZH = single additional hydraulics

1-P = One pedal

2 = Good

5 = Not running condition

2 = Duplex

W = Freeview

DZH = double additional hydraulics

Kab = Cabin

3 = Running condition

6 = Spare part truck

3 = Triplex

F = Freelift

SS = Sideshift

LSG = Load protective grid

4 = Quadro

ISS = Integrated sideshift

B = Battery

L = Charger

ID-Number	Manufacturer	Type	Capacity	YOM	Mast	Forks	Annotation	hours	State
G1310	OM-PIMESPO	Four D6955	1800 kg	2003	3F699	1000 mm	DZH,ISS,IGV,B,3xBA	4152	3

Net prices, ex works Stühr.
Subject to prior sale.

Key

State

1 = Like new

2 = Good

3 = Running condition

4 = In need of repair

5 = Not running condition

6 = Spare part truck

Mast

1 = Mono

2 = Duplex

3 = Triplex

4 = Quadro

S = Standard

W = Freeview

F = Freelift

EZH = single additional hydraulics

DZH = double additional hydraulics

SS = Sideshift

ISS = Integrated sideshift

1-P = One pedal

Kab = Cabin

LSG = Load protective grid

B = Battery

L = Charger